Amendments to the claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Original): A compound of Formula (I):

$$\mathbb{R}^1$$
 \mathbb{N}^2
 \mathbb{N}^2
 \mathbb{N}^2
 \mathbb{N}^2

wherein R¹ represents H, halogen, or a group -YZ;

Y represents a bond (i.e. is absent), C₁₋₆ alkylene or C₂₋₆ alkenylene;

Z represents an aryl or heteroaryl group each comprising 5-14 ring members, said aryl or heteroaryl being optionally substituted by one or more substituents independently selected from halogen, OH, C₁₋₆ alkyl, C₁₋₆ haloalkyl, C₁₋₆ alkoxy, C₁₋₆ haloalkoxy, CN, C₁₋₆ hydroxyalkyl, phenyl, O-(CH₂)₁₋₆-phenyl, NHSO₂R³, NHCOR³, CONR⁴R⁵, SO₂NR⁴R⁵;

R³, R⁴ and R⁵ independently represent H or C₁₋₆ alkyl;

 R^2 represents H, halogen or a group $-Y^1Z^1$;

Y¹ represents a bond (i.e. is absent), C₁₋₆ alkylene, C₂₋₆ alkenylene;

 Z^1 represents a 6 membered aryl, 5 or 6 membered heteroaryl, 5 - 7 membered heterocyclyl, C_{5-7} cycloalkyl, C_{5-7} cycloalkenyl, each of which may be optionally substituted by one or more substituents independently selected from

$$CO-N$$
 $N-CH_3$ COR^6 , $NHSO_2R^6$, COR^7 , NR^7R^8 , $SO_2NR^7R^8$, C_{1-6}

alkyl, C_{1-6} haloalkyl, C_{1-6} alkoxy, C_{1-6} haloalkoxy, halogen, CONR⁷R⁸, NHCOR⁷, or phenyl (directly attached or attached by a C_{1-6} alkylene, CONH, C_{2-6} alkenylene spacer and optionally substituted by one or more substituent

$$-N \longrightarrow N-CH_3$$
 selected from , C_{1-6} alkyl, C_{1-6} alkoxy, C_{1-6} haloalkyl, C_{1-6} haloalkoxy, OH, halogen);

 R^6 represents H, C_{1-6} alkyl, $-(CH_2)_n$ phenyl or $-(CH_2)_n$ napthyl (where n is 0 or 1 and each of which phenyl or naphthyl may be optionally substituted by one or more substitutents independently selected from C_{1-6} alkyl, C_{1-6} alkoxy, halogen, NR^7R^8 , C_{1-6} haloalkyl, C_{1-6} haloalkoxy), CN or $-(O)_p$ phenyl (where p is 0 or 1 and the phenyl is optionally substituted by one or more substitutents independently selected from halogen, C_{1-6} alkyl or C_{1-6} alkoxy):

R⁷ and R⁸ independently represents C₁₋₆ alkyl, H, C₁₋₆ alkylene NR⁹R¹⁰;

R⁹ and R¹⁰ independently represents C₁₋₆ alkyl, H;

with the proviso R¹ and R² do not both represent H;

or a salt, solvate, or physiologically functional derivative thereof.

- 2. (Original): A compound according to claim 1 wherein R¹ is YZ.
- 3. (Original): A compound according to claim 2 wherein Y is a bond or -CH = CH-.
 - 4. (Original): A compound according to claim 3 wherein Y is a bond.
- 5. (Currently amended): A compound according to claim 1 elaims 1 4 wherein Z is phenyl (which may be unsubstituted or substituted once or twice by substituents independently selected from C_{1-3} alkoxy, CN, OH, phenyl, $-OCH_2$ phenyl

NHSO₂R³, NHCOR³, CONR⁴R⁵, SO₂NR⁴R⁵, halogen, C₁₋₃ hydroxyalkyl, C₁₋₄ alkyl)

or a heteroaryl group selected from benzofuranyl, quinolinyl, pyrimidinyl, thiophenyl, isoxazolyl, pyridinyl (each of which may be optionally substituted by one or two groups independently selected from C_{1-3} alkyl, C_{1-3} alkoxy, halogen.

6. (Original): A compound according to claim 5 wherein Z is phenyl (which is unsubstituted or substituted once by a substituent selected from phenyl, OCH₂ phenyl, NHSO₂CH₃, NHCOCH₃, CONH₂, CON(CH₃)₂, Cl, F, OCH₃, CN, OH, CH₂OH, CH₃, C(CH₃)₃) or a heterocyclic group selected from benzofuranyl,

quinolinyl, , pyrimidinyl, thiophenyl, benzothiophenyl, isoxazolyl, pyridinyl (each of which is substituted or is substituted once by a group selected from -OCH₃, CH₃, F).

7. (Original): A compound according to claim 6 wherein Z is phenyl (which is unsubstituted or substituted once by a substituent selected from phenyl, OCH₂ phenyl, NHSO₂CH₃, NHCOCH₃, CONH₂, CON(CH₃)₂, Cl, F, OCH₃, CN, OH, CH₂OH, CH₃, C(CH₃)₃).

8. (Original): A compound according to claim 7 wherein Z is phenyl.

9. (Currently amended): A compound according to claim 1 any of claims 1—8 wherein R² is H or Y¹Z¹.

10. (Original): A compound according to claim 9 wherein R² is Y¹Z¹.

11. (Original): A compound according to claim 10 wherein Y^l is a bond or C_{1-3} alkylene.

- 12. (Currently amended): A compound according to claim 10 elaims 10—11 wherein Z^1 is phenyl (unsubstituted or substituted by one substituent selected from NHSO₂R⁶, CONR⁷R⁸, CF₃, C₁₋₃ alkoxy, SO₂R⁶, NHCOR⁷, SO₂NR⁷R⁸, NR⁷R⁸) or a 6 membered heterocyclic group which contains one nitrogen atom (which is unsubstituted or substituted one time by a group selected from C₁₋₃ alkyl, CH₂ phenyl, SO₂R⁶, CONR⁷R⁸).
- 13. (Original): A compound according to claim 12 wherein Z^1 is a 6 membered heterocycle substituted by SO_2R^6 .
- 14. (Original): A compound according to claim 13 wherein the 6 membered heterocycle is 4-piperidyl.
- 15. (Original): A compound according to claim 1 wherein R^1 is YZ and R^2 is H or Br.
- 16. (Original): A compound according to claim 1 wherein R^1 is phenyl or Br and R^2 is Y^1Z^1 .
- 17. (Original): A compound according to claim 1 wherein R^2 is YZ and R^2 is Y^1Z^1 .
- 18. (Original): A compound as claimed in claim 1, selected from the group consisting of:

5-phenyl-1H-indole-7-carboxamide;

5-(4-biphenylyl)-1H-indole-7-carboxamide;

5-{4-[(phenylmethyl)oxy]phenyl}-1H-indole-7-carboxamide;

5-{4-[(methylsulfonyl)amino]phenyl}-1H-indole-7-carboxamide;

5-[4-(acetylamino)phenyl]-1H-indole-7-carboxamide;

5-[3-(aminocarbonyl)phenyl]-1H-indole-7-carboxamide;

5-(4-chlorophenyl)-1H-indole-7-carboxamide;

5-[3-(acetylamino)phenyl]-1H-indole-7-carboxamide;

- 5-[3-(aminosulfonyl)phenyl]-1H-indole-7-carboxamide;
- 5-{3-[(dimethylamino)carbonyl]phenyl}-1H-indole-7-carboxamide;
- 5-(3-fluorophenyl)-1H-indole-7-carboxamide;
- 5-[3-(methyloxy)phenyl]-1H-indole-7-carboxamide;
- 5-(3-cyanophenyl)-1H-indole-7-carboxamide;
- 5-(3-hydroxyphenyl)-1H-indole-7-carboxamide;
- 5-(3-quinolinyl)-1H-indole-7-carboxamide;
- 5-(1-benzofuran-4-yl)-1H-indole-7-carboxamide;
- 5-(1,3-benzodioxol-5-yl)-1H-indole-7-carboxamide;
- 5-[(E)-2-phenylethenyl]-1H-indole-7-carboxamide;
- 5-(5-pyrimidinyl)-1H-indole-7-carboxamide;
- 5-(3-biphenylyl)-1H-indole-7-carboxamide;
- 5-(1-benzofuran-2-yl)-1H-indole-7-carboxamide;
- 5-(1-benzothien-2-yl)-1*H*-indole-7-carboxamide;
- 5-[3-(hydroxymethyl)phenyl]-1H-indole-7-carboxamide;
- 5-(2-naphthalenyl)-1H-indole-7-carboxamide;
- 5-(4-fluorophenyl)-1H-indole-7-carboxamide;
- 5-[6-(methyloxy)-3-pyridinyl]-1H-indole-7-carboxamide;
- 5-[4-(hydroxymethyl)phenyl]-1H-indole-7-carboxamide;
- 5-(3-chlorophenyl)-1H-indole-7-carboxamide;
- 5-(2-methylphenyl)-1H-indole-7-carboxamide;
- 5-{3-[(phenylmethyl)oxy]phenyl}-1H-indole-7-carboxamide;
- 5-(2-chlorophenyl)-1H-indole-7-carboxamide;
- 5-(3,5-dimethyl-4-isoxazolyl)-1H-indole-7-carboxamide;
- 5-{2-[(phenylmethyl)oxy]phenyl}-1H-indole-7-carboxamide;
- 5-(5-quinolinyl)-1H-indole-7-carboxamide;
- 5-(1-naphthalenyl)-1H-indole-7-carboxamide;
- 3-bromo-5-phenyl-1H-indole-7-carboxamide;
- 3-iodo-5-phenyl-1H-indole-7-carboxamide;
- 3,5-diphenyl-1H-indole-7-carboxamide;
- 3-{4-[(methylsulfonyl)amino]phenyl}-5-phenyl-1H-indole-7-carboxamide;
- 5-phenyl-3-(3-pyridinyl)-1*H*-indole-7-carboxamide;
- $3-(4-\{[(2-aminoethyl)amino]carbonyl\}phenyl)-5-phenyl-1H-indole-7-carboxamide;$

- 3-[4-({[4-(methyloxy)-3-(4-methyl-1-piperazinyl)phenyl]amino}carbonyl)phenyl]-5-phenyl-1H-indole-7-carboxamide formate;
- 5-phenyl-3-[3-(trifluoromethyl)phenyl]-1H-indole-7-carboxamide;
- 5-bromo-3-iodo-1H-indole-7-carboxamide;
- 3-(1-ethyl-3-piperidinyl)-5-phenyl-1H-indole-7-carboxamide;
- 5-phenyl-3-(3-piperidinyl)-1H-indole-7-carboxamide;
- 5-phenyl-3-[1-(phenylmethyl)-3-piperidinyl]-1H-indole-7-carboxamide;
- 3-(1-cyclohexen-1-yl)-5-phenyl-1H-indole-7-carboxamide;
- 3-cyclohexyl-5-phenyl-1H-indole-7-carboxamide;
- 3-{1-[3-(methyloxy)phenyl]ethenyl}-5-phenyl-1H-indole-7-carboxamide;
- 5-phenyl-3-[1-(phenylmethyl)-1,2,3,6-tetrahydro-4-pyridinyl]-1H-indole-7-carbox-amide;
- 5-phenyl-3-(4-piperidinyl)-1H-indole-7-carboxamide;
- 3-{1-[(4-chlorophenyl)sulfonyl]-4-piperidinyl}-5-phenyl-1H-indole-7-carboxamide;
- 5-phenyl-3-[1-(propylsulfonyl)-4-piperidinyl]-1H-indole-7-carboxamide;
- 3-(1-acetyl-4-piperidinyl)-5-phenyl-1H-indole-7-carboxamide;
- 3-[1-(N,N-dimethyl-β-alanyl)-4-piperidinyl]-5-phenyl-1H-indole-7-carboxamide;
- 3-(1-ethyl-4-piperidinyl)-5-phenyl-1H-indole-7-carboxamide formate;
- 3-(1-methylpyrrolidin-2-yl)-5-phenyl-1*H*-indole-7-carboxamide;
- 3-[1-(ethylsulfonyl)pyrrolidin-3-yl]-5-phenyl-1*H*-indole-7-carboxamide;
- 3-[4-(methylsulfonyl)phenyl]-5-phenyl-1H-indole-7-carboxamide;
- 3-[3-(acetylamino)phenyl]-5-phenyl-1*H*-indole-7-carboxamide;
- 3-[4-(ethylsulfonyl)phenyl]-5-phenyl-1*H*-indole-7-carboxamide;
- 3-[3-(methylsulfonyl)phenyl]-5-phenyl-1*H*-indole-7-carboxamide;
- 3-(hexahydro-1*H*-azepin-4-yl)-5-phenyl-1*H*-indole-7-carboxamide;
- 3-[1-(ethylsulfonyl)hexahydro-1*H*-azepin-4-yl]-5-phenyl-1*H*-indole-7-carbox-amide;
- 5-phenyl-3-[2-(4-pyridinyl)ethyl]-1*H*-indole-7-carboxamide;
- $3-\{[1-(ethylsulfonyl)-4-piperidinylidene]methyl\}-5-phenyl-1H-indole-7-carboxamide;$
- 3-[1-(ethylsulfonyl)-4-piperidinyl]-5-[4-(hydroxymethyl)phenyl]-1*H*-indole-7-carboxamide:
- 5-phenyl-3-(3-piperidinylmethyl)-1*H*-indole-7-carboxamide;
- 5-phenyl-3-[2-(4-piperidinyl)ethyl]-1*H*-indole-7-carboxamide;
- $3-\{2-[1-(ethylsulfonyl)-4-piperidinyl]ethyl\}-5-phenyl-1\\ \textit{H}-indole-7-carboxamide};$

- 3-{[1-(ethylsulfonyl)-3-piperidinyl]methyl}-5-phenyl-1H-indole-7-carboxamide;
- 3-{[1-(ethylsulfonyl)-4-piperidinyl]methyl}-5-phenyl-1H-indole-7-carboxamide;
- 3-{1-[(2)sulfonyl]-4-piperidinyl}-5-phenyl-1*H*-indole-7-carboxamide;
- 3-{1-[(4-fluorophenyl)sulfonyl]-4-piperidinyl}-5-phenyl-1*H*-indole-7-carboxamide;
- 3-{1-[(4-methylphenyl)sulfonyl]-4-piperidinyl}-5-phenyl-1*H*-indole-7-carboxamide;
- 3-{phenylsulfonyl-4-piperidinyl}-5-phenyl-1*H*-indole-7-carboxamide;
- 3-(1-{[4-(methyloxy)phenyl]sulfonyl}-4-piperidinyl)-5-phenyl-1*H*-indole-7-carboxamide;
- 3-[1-(ethanesulfonyl)-4-piperidinyl]-5-phenyl-1*H*-indole-7-carboxamide;
- 3-{1-[(2-propanesulfonyl]-4-piperidinyl}-5-phenyl-1*H*-indole-7-carboxamide;
- 5-phenyl-3-[1-(propanesulfonyl)-1,2,3,6-tetrahydro-4-pyridinyl]-1*H*-indole-7-carboxamide;
- 5-phenyl-3-(1-{[4-(trifluoromethyl)phenyl]sulfonyl}-4-piperidinyl)-1*H*-indole-7-carboxamide;
- 3-{1-[(2,4-dichlorophenyl)sulfonyl]-4-piperidinyl}-5-phenyl-1*H*-indole-7-carboxamide;
- 3-{1-[(3,4-dichlorophenyl)sulfonyl]-4-piperidinyl}-5-phenyl-1*H*-indole-7-carboxamide;
- 3-{1-[(ethylamino)carbonyl]-4-piperidinyl}-5-phenyl-1*H*-indole-7-carboxamide;
- 3-{1-[(4-1-piperazinyl)carbonyl]-4-piperidinyl}-5-phenyl-1*H*-indole-7-carboxamide;
- 5-(4-chlorophenyl)-3-[1-(propanesulfonyl)-4-piperidinyl]-1*H*-indole-7-carboxamide;
- 3-{1-[(4-fluorophenyl)sulfonyl]-4-piperidinyl}-5-(4-chlorophenyl)-1*H*-indole-7-carboxamide;
- 5-{4-[(methylsulfonyl)amino]phenyl}-3-[1-(phenylmethyl)-1,2,3,6-tetrahydro-4-pyridinyl]-1*H*-indole-7-carboxamide;
- 5-{4-[(methylsulfonyl)amino]phenyl}-3-(4-piperidinyl)-1*H*-indole-7-carboxamide;
- 5-bromo-3-[1-(ethanesulfonyl)-4-piperidinyl]-1*H*-indole-7-carboxamide;
- 3-[1-(ethanesulfonyl)-4-piperidinyl]-5-{4-[(methylsulfonyl)amino]phenyl}-1*H*-indole-7-carboxamide;
- 3-[1-(ethanesulfonyl)-4-piperidinyl]-5-(3-methylphenyl)-1H-indole-7-carboxamide;
- 3-[1-(ethylsulfonyl)-4-piperidinyl]-5-(2-thienyl)-1H-indole-7-carboxamide;
- 3-[1-(ethylsulfonyl)-4-piperidinyl]-5-(3-thienyl)-1*H*-indole-7-carboxamide;
- 3-[4-(methylsulfonyl)phenyl]-5-phenyl-1H-indole-7-carboxamide;

- 3-{4-[(dimethylamino)sulfonyl]phenyl}-5-phenyl-1H-indole-7-carboxamide;
- 3-{3-[(methylsulfonyl)amino]phenyl}-5-phenyl-1H-indole-7-carboxamide;
- 3-[1-(ethylsulfonyl)-4-piperidinyl]-5-{3-[(methylsulfonyl)amino]phenyl}-1*H*-indole 7-carboxamide;
- 5-[4-(acetylamino)phenyl]-3-[1-(ethylsulfonyl)-4-piperidinyl]-1*H*-indole-7-carboxamide;
- 5-{4-[(dimethylamino)sulfonyl]phenyl}-3-[1-(ethylsulfonyl)-4-piperidinyl]-1*H*-indole-7-carboxamide;
- 5-[3-(acetylamino)phenyl]-3-[1-(ethylsulfonyl)-4-piperidinyl]-1*H*-indole-7-carbox-amide;
- 3-[1-(ethylsulfonyl)-4-piperidinyl]-5-(1H-pyrazol-4-yl)-1H-indole-7-carboxamide;
- 3-[1-(ethylsulfonyl)-4-piperidinyl]-5-[3-(hydroxymethyl)phenyl]-1*H*-indole-7-carboxamide;
- 5-(2,4-difluorophenyl)-3-[1-(ethylsulfonyl)-4-piperidinyl]-1H-indole-7-carboxamide;
- 3-[1-(ethylsulfonyl)-4-piperidinyl]-5-[4-(methyloxy)phenyl]-1*H*-indole-7-carboxamide;
- 3-[1-(ethylsulfonyl)-4-piperidinyl]-5-(4-fluoro-2-methylphenyl)-1*H*-indole-7-carboxamide;
- 3-[1-(ethylsulfonyl)-4-piperidinyl]-5-(4-fluorophenyl)-1*H*-indole-7-carboxamide;
- 5-(4-biphenylyl)-3-[1-(ethylsulfonyl)-4-piperidinyl]-1*H*-indole-7-carboxamide;
- 5-[4-(1,1-dimethylethyl)phenyl]-3-[1-(ethylsulfonyl)-4-piperidinyl]-1*H*-indole-7-carboxamide;
- 3-[1-(ethylsulfonyl)-4-piperidinyl]-5-(4-methylphenyl)-1*H*-indole-7-carboxamide;
- 3-[1-(ethylsulfonyl)-4-piperidinyl]-5-(4-pyridinyl)-1*H*-indole-7-carboxamide;
- 3-[1-(ethylsulfonyl)-4-piperidinyl]-5-(6-fluoro-3-pyridinyl)-1*H*-indole-7-carboxamide;
- 3-[1-(ethylsulfonyl)-4-piperidinyl]-5-(6-methyl-3-pyridinyl)-1*H*-indole-7-carboxamide;
- 3-[1-(ethylsulfonyl)-4-piperidinyl]-5-(4-methyl-3-pyridinyl)-1*H*-indole-7-carboxamide;
- 3-[1-(ethylsulfonyl)-4-piperidinyl]-5-[6-(methyloxy)-3-pyridinyl]-1*H*-indole-7-carboxamide;
- 5-phenyl-3-(N-acetyl-3-piperidinylmethyl)-1H-indole-7-carboxamide;
- 5-[3-(ethyloxy)phenyl]-3-[1-(ethylsulfonyl)-4-piperidinyl]-1*H*-indole-7-carboxamide;

- 3-[1-(ethylsulfonyl)-4-piperidinyl]-5-(2-fluorophenyl)-1H-indole-7-carboxamide;
- 3-[1-(ethylsulfonyl)-4-piperidinyl]-5-[3-(trifluoromethyl)phenyl]-1*H*-indole-7-carboxamide;
- 3-[1-(ethylsulfonyl)-4-piperidinyl]-5-[4-(trifluoromethyl)phenyl]-1*H*-indole-7-carboxamide;
- 3-[1-(ethylsulfonyl)-4-piperidinyl]-5-(3-fluorophenyl)-1H-indole-7-carboxamide;
- 5-(3,5-dichlorophenyl)-3-[1-(ethylsulfonyl)-4-piperidinyl]-1H-indole-7-carboxamide;
- 5-(3,4-difluorophenyl)-3-[1-(ethylsulfonyl)-4-piperidinyl]-1H-indole-7-carboxamide;
- 3-bromo-5-{3-[(dimethylamino)carbonyl]phenyl}-1H-indole-7-carboxamide;
- 5-[2,6-bis(methyloxy)phenyl]-3-bromo-1*H*-indole-7-carboxamide;
- 3-bromo-5-(4-fluoro-2-methylphenyl)-1*H*-indole-7-carboxamide;
- 3-bromo-5-[5-fluoro-2-(methyloxy)phenyl]-1*H*-indole-7-carboxamide;
- 3-bromo-5-(3-quinolinyl)-1*H*-indole-7-carboxamide trifluoroacetate;
- 3-bromo-5-(5-quinolinyl)-1*H*-indole-7-carboxamide trifluoroacetate;
- 5-[2,5-bis(methyloxy)phenyl]-3-bromo-1*H*-indole-7-carboxamide;
- 3-bromo-5-(2-fluorophenyl)-1*H*-indole-7-carboxamide;
- 5-[2,4-bis(methyloxy)phenyl]-3-bromo-1*H*-indole-7-carboxamide;
- 3-bromo-5-[2-(methyloxy)-3-pyridinyl]-1*H*-indole-7-carboxamide trifluoroacetate;
- 3-bromo-5-[2,3,4-tris(methyloxy)phenyl]-1*H*-indole-7-carboxamide;
- 3-{1-[(4-chloro-2,5-dimethylphenyl)sulfonyl]-4-piperidinyl}-5-phenyl-1*H*-indole-7-carboxamide;
- 3-(1-{[5-bromo-2-(methyloxy)phenyl]sulfonyl}-4-piperidinyl)-5-phenyl-1*H*-indole-7-carboxamide;
- 3-{1-[(5-fluoro-2-methylphenyl)sulfonyl]-4-piperidinyl}-5-phenyl-1*H*-indole-7-carboxamide;
- $3-\{1-[(3-fluorophenyl)sulfonyl]-4-piperidinyl\}-5-phenyl-1 \textit{H}-indole-7-carboxamide};\\$
- 5-phenyl-3-(1-{[2,4,6-tris(1-methylethyl)phenyl]sulfonyl}-4-piperidinyl)-1*H*-indole-7-carboxamide;
- 3-(1-{[4-(1,1-dimethylpropyl)phenyl]sulfonyl}-4-piperidinyl)-5-phenyl-1*H*-indole-7-carboxamide;
- $3-\{1-[(2-methylphenyl)sulfonyl]-4-piperidinyl\}-5-phenyl-1H-indole-7-carboxamide;$
- 3-{1-[(2-iodophenyl)sulfonyl]-4-piperidinyl}-5-phenyl-1*H*-indole-7-carboxamide;
- 3-{1-[(4-pentylphenyl)sulfonyl]-4-piperidinyl}-5-phenyl-1*H*-indole-7-carboxamide;

- 5-phenyl-3-{1-[(4-propylphenyl)sulfonyl]-4-piperidinyl}-1*H*-indole-7-carboxamide; 3-{1-[(2,4-difluorophenyl)sulfonyl]-4-piperidinyl}-5-phenyl-1*H*-indole-7-carboxamide;
- 3-{1-[(2,5-dimethylphenyl)sulfonyl]-4-piperidinyl}-5-phenyl-1*H*-indole-7-carboxamide;
- 3-{1-[(4-ethylphenyl)sulfonyl]-4-piperidinyl}-5-phenyl-1*H*-indole-7-carboxamide;
- $3-\{1-[(3-methylphenyl)sulfonyl]-4-piperidinyl\}-5-phenyl-1H-indole-7-carboxamide;$
- $3-\{1-[(4-\{[2-(methyloxy)phenyl]oxy\}phenyl)sulfonyl]-4-piperidinyl\}-5-phenyl-1$ *H*-indole-7-carboxamide;
- 3-{1-[(4-{[4-(methyloxy)phenyl]oxy}phenyl)sulfonyl]-4-piperidinyl}-5-phenyl-1*H*-indole-7-carboxamide;
- $3-[1-({3-[(4-fluorophenyl)oxy]phenyl}sulfonyl)-4-piperidinyl]-5-phenyl-1$ *H*-indole-7-carboxamide;
- 3-{1-[(3-{[2-(methyloxy)phenyl]oxy}phenyl)sulfonyl]-4-piperidinyl}-5-phenyl-1*H*-indole-7-carboxamide;
- 3-[1-({4-[(4-chlorophenyl)oxy]phenyl}sulfonyl)-4-piperidinyl]-5-phenyl-1*H*-indole-7-carboxamide;
- $3-\{1-[(3-\{[4-(methyloxy)phenyl]oxy\}phenyl)sulfonyl]-4-piperidinyl\}-5-phenyl-1$ *H*-indole-7-carboxamide;
- 5-phenyl-3-(1-{[3-(phenyloxy)phenyl]sulfonyl}-4-piperidinyl)-1*H*-indole-7-carboxamide;
- 3-[1-({3-[(4-chlorophenyl)oxy]phenyl}sulfonyl)-4-piperidinyl]-5-phenyl-1*H*-indole-7-carboxamide;
- 3-[1-({4-[(2-methylphenyl)oxy]phenyl}sulfonyl)-4-piperidinyl]-5-phenyl-1*H*-indole-7-carboxamide;
- 3-{1-[(4'-chloro-4-biphenylyl)sulfonyl]-4-piperidinyl}-5-phenyl-1*H*-indole-7-carboxamide;
- $3-[1-({3-[(2-methylphenyl)oxy]phenyl}sulfonyl)-4-piperidinyl]-5-phenyl-1$ *H*-indole-7-carboxamide;
- 3-[1-({3-[(2-chlorophenyl)oxy]phenyl}sulfonyl)-4-piperidinyl]-5-phenyl-1*H*-indole-7-carboxamide;
- 3-{1-[(5-chloro-1-naphthalenyl)sulfonyl]-4-piperidinyl}-5-phenyl-1*H*-indole-7-carboxamide;

- 3-(1-{[4'-(methyloxy)-3-biphenylyl]sulfonyl}-4-piperidinyl)-5-phenyl-1*H*-indole-7-carboxamide;
- 3-[1-(3-biphenylylsulfonyl)-4-piperidinyl]-5-phenyl-1*H*-indole-7-carboxamide;
- 3-(1-{[(4-fluorophenyl)methyl]sulfonyl}-4-piperidinyl)-5-phenyl-1*H*-indole-7-carboxamide;
- 3-{1-[(5-chloro-2-naphthalenyl)sulfonyl]-4-piperidinyl}-5-phenyl-1*H*-indole-7-carboxamide;
- 3-(1-{[4'-(methyloxy)-4-biphenylyl]sulfonyl}-4-piperidinyl)-5-phenyl-1*H*-indole-7-carboxamide;
- 5-(2-fluorophenyl)-1*H*-indole-7-carboxamide;
- 5-(3-{[(2,2-dimethylpropyl)amino]carbonyl}phenyl)-1*H*-indole-7-carboxamide;
- $5-(3-\{[(1-methylethyl)amino]carbonyl\}phenyl)-1H-indole-7-carboxamide;$
- 5-(4-{[(2,2-dimethylpropyl)amino]carbonyl}phenyl)-1*H*-indole-7-carboxamide;
- 5-{4-[(propylamino)carbonyl]phenyl}-1*H*-indole-7-carboxamide;
- 5-(4-{[(1-methylethyl)amino]carbonyl}phenyl)-1H-indole-7-carboxamide;
- 5-{4-[(diethylamino)carbonyl]phenyl}-1H-indole-7-carboxamide;
- 3-[1-(methylsulfonyl)-1,2,3,6-tetrahydro-4-pyridinyl]-5-phenyl-1*H*-indole-7-carboxamide;
- 3-(3-oxocyclopentyl)-5-phenyl-1*H*-indole-7-carboxamide;
- 5-phenyl-3-{3-[(phenylmethyl)amino]cyclopentyl}-1H-indole-7-carboxamide;
- 3-(3-aminocyclopentyl)-5-phenyl-1*H*-indole-7-carboxamide;
- 3-{3-[(ethylsulfonyl)amino]cyclopentyl}-5-phenyl-1*H*-indole-7-carboxamide;
- 5-bromo-3-[1-(propylsulfonyl)-4-piperidinyl]-1*H*-indole-7-carboxamide;
- 5-bromo-3-(3-pyridinyl)-1H-indole-7-carboxamide;
- 5-bromo-3-[1-(methylsulfonyl)-1,2,3,6-tetrahydro-4-pyridinyl]-1*H*-indole-7-carboxamide;
- 3-[(4-hydroxyphenyl)methyl]-5-phenyl-1H-indole-7-carboxamide;
- 5-bromo-1H-indole-7-carboxamide;
- 5-(4-chlorophenyl)1H-indole-7-carboxamide;
- 5-bromo-3(4-piperidinyl)1H-indole-7-carboxamide;

or a salt, solvate, or physiologically functional derivative thereof.

- 19. (Currently amended): A pharmaceutical composition, comprising a compound as claimed in <u>claim 1</u> any one of claims 1—18, or a salt, solvate, or a physiologically functional derivative thereof and one or more of pharmaceutically acceptable carriers, diluents and excipients.
- 20. (Currently amended): A compound as claimed in <u>claim 1</u> any of claims 1 —18, or a salt, solvate, or a physiologically functional derivative thereof for use in therapy.
- 21. (Currently amended): A compound according to <u>claim 1 elaims 1 18</u> for use in the treatment of a disorder mediated by inappropriate kinase activity.
- 22. (Currently amended): A compound according to <u>claim 1 elaims 1 18</u> for use in the treatment of a disorder mediated by inappropriate IKK2 activity.
- 23. (Currently amended): A method of treating a disorder in a mammal, said disorder being mediated by inappropriate kinase activity, comprising administering to said mammal a compound as claimed in <u>claim 1</u> any one of claims 1 18, or a salt, solvate, or a physiologically functional derivative thereof.
- 24. (Original): A method according to claim 23 wherein the inappropriate kinase activity is inappropriate IKK2 activity.
- 25. (Original): A method according to claim 24 wherein the disorder mediated by inappropriate IKK2 activity is inflammatory and tissue repair disorders, particularly rheumatoid arthritis, inflammatory bowel disease, asthma and COPD (chronic obstructive pulmonary disease); osteoarthritis, osteoporosis and fibrotic diseases; dermatosis, including psoriasis, atopic dermatitis and ultraviolet radiation (UV)-induced skin damage; autoimmune diseases including systemic lupus eythematosus, multiple sclerosis, psoriatic arthritis, alkylosing spondylitis, tissue and organ rejection, Alzheimer's disease, stroke, atherosclerosis, restonosis, diabetes, glomerulonephritis, cancer, including Hodgkins disease, cachexia, inflammation associated with infection and certain viral infections, including acquired immune deficiency syndrome (AIDS),

International Application No. PCT/GB2005/000085 International Filing Date: 13 January 2005

adult respiratory distress syndrome, and Ataxia Telangiestasia, comprising administering a therapeutically effective amount to a mammal of a compound of formula (I), or a salt, solvate or pharmaceutically functional derivative thereof.

Claims 26-38 (Cancelled).